

Copper Structured Cabling

Category 5e UTP Keystone Jack Patch Panel 1U 24 Port

We offer state of the art 24 Port patch panels designed to hold all UTP Keystone jacks.

Available for Cat5e, Cat6, Cat6A or Cat7 to mount in any standard 19" rack or cabinet. It is designed and produced according to the ISO/IEC 11801 and EIA/TIA-568B standards.



Features & Benefits

- 24 port patch panel
- Space-saving high density 1 U
- Meets the requirement proposed by TIA /EIA 568 B .2
- Sturdy aluminium plate around jacks
- Black electrostatic powder-coated corrosion-resistant steel
- 19" rack mountable

Applications

- POTS, T1&Tq fractional
- ASDN basic & primary rate
- 4/16 Mbps Token Ring (IEEE802.5)
- 10 BASE-T (IEEE802.3)
- 100 Mbps TP-PMD
- 52/155 Mbps ATM (ATM Forum)
- 100 BASE-T4 (Fast Ethernet)
- 100 VG-Any LAN (IEEE802.12)
- 100 BASE-T (Fast Ethernet)
- 1 Gbps Ethernet (IEEE802.3)

Colouring

Pair1	Pair2	Pair3	Pair4
Blue-Blue/White	Orange-Orange/White	Green-Green/White	Brown-Brown/White

Copper Structured Cabling

Category 5e UTP Keystone Jack Patch Panel 1U 24 Port

Performance

Insertion Life	750 cycles minimum
IDC Life	200 times (22-26 AWG solid wire) minimum
Contact Material	Phosphor Bronze, Gold Plating (0.5mm)
IDC Material	Phosphor Bronze stamp pin (0.35mm)
Housing Material	PC UL94V-0
Panel Material	Black electrostatic powder-coated corrosion-resistant steel
Conformance	EIA/TIA 568A/B wiring standards, ISO/IEC 11801 :2002, EIA/TIA 568B.2.1 :2002, RoHS

Ordering Information

Construction	Patch Panel Style	Category	Port density
UTP (Unshielded Twisted Pair)	Keystone Jack Style	Category 5e (CAT5e)	1-24 Ports

For any queries, please contact Technoline Solutions team using the details below.