


Copper Structured Cabling

Category 6 UTP Keystone Jack Patch Panel 1U 24 Port

We offer state of the art 24 Port patch panels designed to hold all UTP Keystone jacks.

Available for Cat5e, Cat6, Cat6A or Cat7 to mount in any standard 19" rack or cabinet. It is designed and produced according to the ISO/IEC 11801 and EIA/TIA-568B standards.



Applications

- POTS, T1&Tq fractional
- ASDN basic & primary rate
- 4/16 Mbps Token Ring (IEEE802.5)
- 10 BASE-T (IEEE802.3)
- 100 Mbps TP-PMD
- 10Gbps Ethernet
- 52/155 Mbps ATM (ATM Forum)
- 100 BASE-T4 (Fast Ethernet)
- 100 VG-Any LAN (IEEE802.12)
- 100 BASE-T (Fast Ethernet)
- 1 Gbps Ethernet (IEEE802.3)

Features & Benefits

- 24 port patch panel
- Space-saving high density 1U
- Meets the requirement proposed by TIA /EIA 568 B .2
- Sturdy aluminium plate around jacks
- Black electrostatic powder-coated corrosion-resistant steel
- 19" rack mountable

Colouring

Pair1	Pair2	Pair3	Pair4
Blue-Blue/White	Orange-Orange/White	Green-Green/White	Brown-Brown/White

Copper Structured Cabling

Category 6 UTP Keystone Jack Patch Panel 1U 24 Port

Performance

Insertion Life	750 cycles minimum
IDC Life	200 times (22-26 AWG solid wire) minimum
Plug/Jack Contact Force	100g minimum using FCC-approved plug
Insulation Resistance	100Mohms minimum
Contact Resistance	7Mohms maximum
Dielectric Intensity	AC 1000Vrms, 50Hz or 60Hz in 60s
Plating	Gold (3u", 6u", 15u", 30u", 50u"), Silver (1.25um, 5um)
Modularity	8-pin, 4-pair

For any queries, please contact Technoline Solutions team using the details below.